
SURFACES

1,600x3,200mm 63"X126" 1,200x2,400mm 48"X96" 900x1,800mm 36"X72"

GALAXY



39

 $^{^{\}star}$ (F) :no more mind the gap---Tesselation





Sideboard 120-240FMZ10009RPM 1,200x2,400mm 48"X96"






floor 90-180FMZ10010RPM(F) 900x1,800mm 36"X72"






wall 90-180FMZ10007RPM(F) 900x1,800mm 36"X72"

▼ 10mm **▼** 10mm 90-180FMZ10001RPM(F) 90-180FMZ10002RPM(F) **▼** 10mm 90-180FMZ10003RPM(F) 900x1,800mm Glazed-Soft Polished Phases:4 900x1,800mm Glazed-Soft Polished Phases:4 900x1,800mm Glazed-Soft Polished Phases:4















47

GALAXY

120-240FMZ10008RPM

* (F) :no more mind the gap---Tesselation

▼ 12.5mm 160-320FMZ12008RPM

1,600x3,200mm Glazed-Soft Polished Phases:4

1,200x2,400mm Glazed-Soft Polished Phases:4

48"X96" 90-180FMZ10008RPM(F) **▼** 10mm

900x1,800mm Glazed-Soft Polished Phases:4

1,600x3,200mm Glazed-Soft Polished Phases:4 **▼** 10mm **▼** 10mm 120-240FMZ10009RPM 1,200x2,400mm Glazed-Soft Polished Phases:4

> 90-180FMZ10009RPM(F) **▼** 10mm

> 160-320FMZ12009RPM ▼ 12.5mm

900x1,800mm Glazed-Soft Polished Phases:4

▼ 12.5mm 160-320FMZ12010RPM 1,600x3,200mm Glazed-Soft Polished Phases:4 63"X126"

90-180FMZ10010RPM(F)

900x1,800mm Glazed-Soft Polished Phases:4








▼ 10mm






























Content table ROMAN SUPERSTONE 1,800x3,600mm 72"X144" 1,600x3,200mm 63"X126" 1,200x2,400mm 48"X96" Super stone series porcelain panel: there are 5.5mm,8.5mm,13.5mm and 20.5mm thickness for choices for different area application. Its 2400X1200mm large size design makes space collocation application more diversiled. It adopts the full body frabric technique and use the simulation design to restore the original color and texture of the natural stone. Application in projects: cladding of outside wall of business building, lobby floor of hotel, cladding of















